

# 9 - Pigtails, Patchcords, Adaptors

## Patch-cord



www.ace-fibreoptic.com



Characteristics	Properties	Unit
Product group	Patch cords	
Series	Outside plant	
Type	Patch-cord	

Partnr.	Simplex diameter	Length (m)	Fibre type	Type of connector connection 1	Type of connector connection 2
424010	2.4	1,0	Single mode	E2000/APC	E2000/APC
424030	2.4	3,0	Single mode	E2000/APC	E2000/APC
424305	2.4	3,5	Single mode	E2000/APC	E2000/APC
424040	2.4	4,0	Single mode	E2000/APC	E2000/APC
424050	2.4	5,0	Single mode	E2000/APC	E2000/APC
424060	2.4	6,0	Single mode	E2000/APC	E2000/APC
424070	2.4	7,0	Single mode	E2000/APC	E2000/APC
424080	2.4	8,0	Single mode	E2000/APC	E2000/APC
424090	2.4	9,0	Single mode	E2000/APC	E2000/APC
424100	2.4	10,0	Single mode	E2000/APC	E2000/APC
424110	2.4	11,0	Single mode	E2000/APC	E2000/APC
424120	2.4	12,0	Single mode	E2000/APC	E2000/APC
424125	2.4	12,5	Single mode	E2000/APC	E2000/APC
424140	2.4	14,0	Single mode	E2000/APC	E2000/APC
424150	2.4	15,0	Single mode	E2000/APC	E2000/APC
424160	2.4	16,0	Single mode	E2000/APC	E2000/APC
424175	2.4	17,5	Single mode	E2000/APC	E2000/APC
424180	2.4	18,0	Single mode	E2000/APC	E2000/APC
424200	2.4	20,0	Single mode	E2000/APC	E2000/APC
424220	2.4	22,0	Single mode	E2000/APC	E2000/APC
424225	2.4	22,5	Single mode	E2000/APC	E2000/APC
424240	2.4	24,0	Single mode	E2000/APC	E2000/APC
424250	2.4	25,0	Single mode	E2000/APC	E2000/APC

Copyright (c) TKF, 11-02-2013

No rights whatsoever can be derived from the contents of this document

## 9 - Pigtails, Patchcords, Adaptors

### Patch-cord



www.ace-fibreoptic.com

Partnr.	Simplex diameter	Length (m)	Fibre type	Type of connector connection 1	Type of connector connection 2
424260	2.4	26,0	Single mode	E2000/APC	E2000/APC
424275	2.4	27,5	Single mode	E2000/APC	E2000/APC
424280	2.4	28,0	Single mode	E2000/APC	E2000/APC
424300	2.4	30,0	Single mode	E2000/APC	E2000/APC
424320	2.4	32,0	Single mode	E2000/APC	E2000/APC
424340	2.4	34,0	Single mode	E2000/APC	E2000/APC
424350	2.4	35,0	Single mode	E2000/APC	E2000/APC
424360	2.4	36,0	Single mode	E2000/APC	E2000/APC
424375	2.4	37,5	Single mode	E2000/APC	E2000/APC
424380	2.4	38,0	Single mode	E2000/APC	E2000/APC
424400	2.4	40,0	Single mode	E2000/APC	E2000/APC
424450	2.4	45,0	Single mode	E2000/APC	E2000/APC
424310	2.4	45,0	Single mode	E2000/APC	E2000/APC
424500	2.4	50,0	Single mode	E2000/APC	E2000/APC
424505	2.4	55,0	Single mode	E2000/APC	E2000/APC
424600	2.4	60,0	Single mode	E2000/APC	E2000/APC
424650	2.4	65,0	Single mode	E2000/APC	E2000/APC
424700	2.4	70,0	Single mode	E2000/APC	E2000/APC
424800	2.4	80,0	Single mode	E2000/APC	E2000/APC
424900	2.4	90,0	Single mode	E2000/APC	E2000/APC
424999	2.4	100,0	Single mode	E2000/APC	E2000/APC
425101	2.4	3,0	Single mode	E2000/APC	E2000/PC
473010	2.4	1,0	Single mode	E2000/APC	FC/PC
473020	2.4	2,0	Single mode	E2000/APC	FC/PC
473030	2.4	3,0	Single mode	E2000/APC	FC/PC
473040	2.4	4,0	Single mode	E2000/APC	FC/PC
473050	2.4	5,0	Single mode	E2000/APC	FC/PC
473060	2.4	6,0	Single mode	E2000/APC	FC/PC
473070	2.4	7,0	Single mode	E2000/APC	FC/PC
473080	2.4	8,0	Single mode	E2000/APC	FC/PC
473090	2.4	9,0	Single mode	E2000/APC	FC/PC
473100	2.4	10,0	Single mode	E2000/APC	FC/PC
473110	2.4	11,0	Single mode	E2000/APC	FC/PC
473120	2.4	12,0	Single mode	E2000/APC	FC/PC
473125	2.4	12,5	Single mode	E2000/APC	FC/PC
473130	2.4	13,0	Single mode	E2000/APC	FC/PC
473140	2.4	14,0	Single mode	E2000/APC	FC/PC
473150	2.4	15,0	Single mode	E2000/APC	FC/PC
473160	2.4	16,0	Single mode	E2000/APC	FC/PC
473170	2.4	17,0	Single mode	E2000/APC	FC/PC
473175	2.4	17,5	Single mode	E2000/APC	FC/PC
473180	2.4	18,0	Single mode	E2000/APC	FC/PC
473190	2.4	19,0	Single mode	E2000/APC	FC/PC
473200	2.4	20,0	Single mode	E2000/APC	FC/PC
473225	2.4	22,5	Single mode	E2000/APC	FC/PC
473250	2.4	25,0	Single mode	E2000/APC	FC/PC
473275	2.4	27,5	Single mode	E2000/APC	FC/PC

Copyright (c) TKF, 11-02-2013

No rights whatsoever can be derived from the contents of this document

## 9 - Pigtails, Patchcords, Adaptors

### Patch-cord



www.ace-fibreoptic.com

Partnr.	Simplex diameter	Length (m)	Fibre type	Type of connector connection 1	Type of connector connection 2
473300	2.4	30,0	Single mode	E2000/APC	FC/PC
473350	2.4	35,0	Single mode	E2000/APC	FC/PC
473400	2.4	40,0	Single mode	E2000/APC	FC/PC
473450	2.4	45,0	Single mode	E2000/APC	FC/PC
473500	2.4	50,0	Single mode	E2000/APC	FC/PC
437010	2.4	1,0	Single mode	E2000/APC	LC/PC
437020	2.4	2,0	Single mode	E2000/APC	LC/PC
437030	2.4	3,0	Single mode	E2000/APC	LC/PC
437040	2.4	4,0	Single mode	E2000/APC	LC/PC
437050	2.4	5,0	Single mode	E2000/APC	LC/PC
437060	2.4	6,0	Single mode	E2000/APC	LC/PC
437070	2.4	7,0	Single mode	E2000/APC	LC/PC
437080	2.4	8,0	Single mode	E2000/APC	LC/PC
437090	2.4	9,0	Single mode	E2000/APC	LC/PC
437100	2.4	10,0	Single mode	E2000/APC	LC/PC
437125	2.4	12,5	Single mode	E2000/APC	LC/PC
437150	2.4	15,0	Single mode	E2000/APC	LC/PC
437175	2.4	17,5	Single mode	E2000/APC	LC/PC
437200	2.4	20,0	Single mode	E2000/APC	LC/PC
437225	2.4	22,5	Single mode	E2000/APC	LC/PC
437250	2.4	25,0	Single mode	E2000/APC	LC/PC
437275	2.4	27,5	Single mode	E2000/APC	LC/PC
437300	2.4	30,0	Single mode	E2000/APC	LC/PC
437325	2.4	32,5	Single mode	E2000/APC	LC/PC
437350	2.4	35,0	Single mode	E2000/APC	LC/PC
437400	2.4	40,0	Single mode	E2000/APC	LC/PC
400190	2.4	3,0	Single mode	E2000/APC	SC/APC
400196	2.4	10,0	Single mode	E2000/APC	SC/APC
471010	2.4	1,0	Single mode	E2000/APC	SC/PC
471020	2.4	2,0	Single mode	E2000/APC	SC/PC
471030	2.4	3,0	Single mode	E2000/APC	SC/PC
471040	2.4	4,0	Single mode	E2000/APC	SC/PC
471050	2.4	5,0	Single mode	E2000/APC	SC/PC
471060	2.4	6,0	Single mode	E2000/APC	SC/PC
471070	2.4	7,0	Single mode	E2000/APC	SC/PC
471080	2.4	8,0	Single mode	E2000/APC	SC/PC
471090	2.4	9,0	Single mode	E2000/APC	SC/PC
471100	2.4	10,0	Single mode	E2000/APC	SC/PC
471110	2.4	11,0	Single mode	E2000/APC	SC/PC
471125	2.4	12,5	Single mode	E2000/APC	SC/PC
471130	2.4	13,0	Single mode	E2000/APC	SC/PC
471140	2.4	14,0	Single mode	E2000/APC	SC/PC
471150	2.4	15,0	Single mode	E2000/APC	SC/PC
471160	2.4	16,0	Single mode	E2000/APC	SC/PC
471170	2.4	17,0	Single mode	E2000/APC	SC/PC
471180	2.4	18,0	Single mode	E2000/APC	SC/PC
471190	2.4	19,0	Single mode	E2000/APC	SC/PC

Copyright (c) TKF, 11-02-2013

No rights whatsoever can be derived from the contents of this document

## 9 - Pigtails, Patchcords, Adaptors

### Patch-cord



www.ace-fibreoptic.com

Partnr.	Simplex diameter	Length (m)	Fibre type	Type of connector connection 1	Type of connector connection 2
471200	2.4	20,0	Single mode	E2000/APC	SC/PC
471225	2.4	22,5	Single mode	E2000/APC	SC/PC
471250	2.4	25,0	Single mode	E2000/APC	SC/PC
471275	2.4	27,5	Single mode	E2000/APC	SC/PC
471300	2.4	30,0	Single mode	E2000/APC	SC/PC
471350	2.4	35,0	Single mode	E2000/APC	SC/PC
471400	2.4	40,0	Single mode	E2000/APC	SC/PC
471450	2.4	45,0	Single mode	E2000/APC	SC/PC
471500	2.4	50,0	Single mode	E2000/APC	SC/PC
417700	2.4	3,0	Single mode	FC	FC
416050	2.4	5,0	Single mode	FC/PC	FC/PC
416080	2.4	8,0	Single mode	FC/PC	FC/PC
416090	2.4	9,0	Single mode	FC/PC	FC/PC
416100	2.4	10,0	Single mode	FC/PC	FC/PC
416120	2.4	12,0	Single mode	FC/PC	FC/PC
417150	2.4	15,0	Single mode	FC/PC	FC/PC
416200	2.4	20,0	Single mode	FC/PC	FC/PC
416225	2.4	22,5	Single mode	FC/PC	FC/PC
416250	2.4	25,0	Single mode	FC/PC	FC/PC
416300	2.4	30,0	Single mode	FC/PC	FC/PC
416350	2.4	35,0	Single mode	FC/PC	FC/PC
411111	2.4	1,0	Single mode	LC/APC	LC/APC
427854	1.6	4,0	Single mode	LC/APC	LC/APC
427856	1.6	4,0	Single mode	LC/APC	LC/PC
436080	2.4	8,0	Single mode	LC/PC	FC/PC
436100	2.4	10,0	Single mode	LC/PC	FC/PC
411110	2.4	1,0	Single mode	SC/APC	LC/APC
425545	1.6	4,5	Single mode	SC/APC	LC/PC
411101	2.4	1,0	Single mode	SC/APC	SC/APC
411102	2.4	1,5	Single mode	SC/APC	SC/APC
411104	2.4	2,0	Single mode	SC/APC	SC/APC
425230	2.0	3,0	Single mode	SC/APC	SC/APC
425240	2.0	4,0	Single mode	SC/APC	SC/APC
425245	2.0	4,5	Single mode	SC/APC	SC/APC
411112	2.4	1,0	Single mode	SC/APC	SC/PC
414080	2.4	8,0	Single mode	SC/PC	FC/PC
414100	2.4	10,0	Single mode	SC/PC	FC/PC
414150	2.4	15,0	Single mode	SC/PC	FC/PC
414200	2.4	20,0	Single mode	SC/PC	FC/PC
414225	2.4	22,5	Single mode	SC/PC	FC/PC
414250	2.4	25,0	Single mode	SC/PC	FC/PC
414300	2.4	30,0	Single mode	SC/PC	FC/PC
414350	2.4	35,0	Single mode	SC/PC	FC/PC
425340	2.0	4,0	Single mode	SC/PC	LC/PC
425345	2.0	4,5	Single mode	SC/PC	LC/PC
475010	2.4	1,0	Single mode	SC/PC	SC/PC
475030	2.4	3,0	Single mode	SC/PC	SC/PC

Copyright (c) TKF, 11-02-2013

No rights whatsoever can be derived from the contents of this document

## 9 - Pigtails, Patchcords, Adaptors

### Patch-cord



www.ace-fibreoptic.com

Partnr.	Simplex diameter	Length (m)	Fibre type	Type of connector connection 1	Type of connector connection 2
423030	2.4	3,0	Single mode	SC/PC	SC/PC
475040	2.4	4,0	Single mode	SC/PC	SC/PC
425145	2.0	4,5	Single mode	SC/PC	SC/PC
475050	2.4	5,0	Single mode	SC/PC	SC/PC
475060	2.4	6,0	Single mode	SC/PC	SC/PC
475070	2.4	7,0	Single mode	SC/PC	SC/PC
475080	2.4	8,0	Single mode	SC/PC	SC/PC
475090	2.4	9,0	Single mode	SC/PC	SC/PC
475100	2.4	10,0	Single mode	SC/PC	SC/PC
423100	2.4	10,0	Single mode	SC/PC	SC/PC
475110	2.4	11,0	Single mode	SC/PC	SC/PC
475120	2.4	12,0	Single mode	SC/PC	SC/PC
475130	2.4	13,0	Single mode	SC/PC	SC/PC
475140	2.4	14,0	Single mode	SC/PC	SC/PC
475150	2.4	15,0	Single mode	SC/PC	SC/PC
475160	2.4	16,0	Single mode	SC/PC	SC/PC
475170	2.4	17,0	Single mode	SC/PC	SC/PC
475180	2.4	18,0	Single mode	SC/PC	SC/PC
475190	2.4	19,0	Single mode	SC/PC	SC/PC
475200	2.4	20,0	Single mode	SC/PC	SC/PC
475225	2.4	22,5	Single mode	SC/PC	SC/PC
475250	2.4	25,0	Single mode	SC/PC	SC/PC
475300	2.4	30,0	Single mode	SC/PC	SC/PC
475350	2.4	35,0	Single mode	SC/PC	SC/PC

# 9 - Pigtails, Patchcords, Adaptors

## Patch-cord



www.ace-fibreoptic.com



Characteristics	Properties	Unit
Product group	Patch cords	
Series	Outside plant	
Type	Patch-cord	

Partnr.	Simplex diameter	Length (m)	Fibre type	Type of connector connection 1	Type of connector connection 2
419320	2.4	20,0	Multi mode 62.5/125	LC/PC	LC/PC
425503	2.0	3,0	Multi mode 50/125	SC/PC	LC/PC

Copyright (c) TKF, 11-02-2013

No rights whatsoever can be derived from the contents of this document

## 9 - Pigtails, Patchcords, Adaptors

### Patch-cord duplex



www.ace-fibreoptic.com



Characteristics	Properties	Unit
Product group	Patch cords	
Series	Outside plant	
Type	Patch-cord duplex	

Partnr.	Simplex diameter	Length (m)	Fibre type	Type of connector connection 1	Type of connector connection 2
427865	2.0	5.0	Single mode	FC/PC	FC/PC
427802	2.0	2.0	Single mode	LC/PC	LC/PC
427803	2.0	3.0	Single mode	LC/PC	LC/PC
427860	2.0	1.0	Single mode	LC/PC	SC/PC
427861	2.0	5.0	Single mode	LC/PC	SC/PC
427872	2.0	2.0	Single mode	SC/APC	SC/APC

Copyright (c) TKF, 11-02-2013

No rights whatsoever can be derived from the contents of this document

## 9 - Pigtails, Patchcords, Adaptors

### Patch-cord duplex



www.ace-fibreoptic.com



Characteristics	Properties	Unit
Product group	Patch cords	
Series	Outside plant	
Type	Patch-cord duplex	

Partnr.	Simplex diameter	Length (m)	Fibre type	Type of connector connection 1	Type of connector connection 2
438600	2,0	1,5	Multi mode 50/125	LC/PC	LC/PC
438602	2,0	2,0	Multi mode 50/125	LC/PC	LC/PC
438603	2,0	3,0	Multi mode 50/125	LC/PC	LC/PC
438605	2,0	5,0	Multi mode 50/125	LC/PC	LC/PC
438606	2,0	6,0	Multi mode 50/125	LC/PC	LC/PC
438608	2,0	8,0	Multi mode 50/125	LC/PC	LC/PC
438610	2,0	10,0	Multi mode 50/125	LC/PC	LC/PC
438615	2,0	15,0	Multi mode 50/125	LC/PC	LC/PC
438620	2,0	20,0	Multi mode 50/125	LC/PC	LC/PC

Copyright (c) TKF, 11-02-2013

No rights whatsoever can be derived from the contents of this document